LINERGY
EMERGENCY LIGHTING

ASTRA
L2401


IP40 IK06 3 pcs

ASTRA 2,9W 22m 1/2/3h M/NM WIRELESS


The LUCY model, specifically designed for performance spaces and cinemas. Its battery life is adjustable to meet various needs. The model is available in two sizes and comes in black (optional).



CODE	L2401
POWER (W)	2,9W
AUTONOMY (U)	1h
	3h
TYPE	Permanent
RESCUE (LM)	
PERMANENT (LM)	
BATTERY	LI-FEPO4



A=271mm B=167mm C=33mm D=43mm E=123mm F=255mm



Features

PRODUCT NAME	ASTRA
PRODUCT FUNCTION	LUMINAIRES DE SIGNALISATION LED NON HERMETIQUES
SYSTEM POWER (W) :	2,9W
SIGHT DISTANCE (M) :	22M
SURVEILLANCE SYSTEM INSTALLATION	WIRELESS
WITH CONNECTION TO A IMPULSE RELAY	YES

LINERGY
EMERGENCY LIGHTING

ASTRA
L2401

POWER SUPPLY (V) :	220-230V
BATTERY	LiFePO4
BATTERY RECHARGE TIME (H) :	12H
LIGHT SOURCE	LED
WITH LIGHT SOURCE	YES
PROTECTION CLASS	IP40
HOUSING MATERIAL	POLYCARBONATE
HOUSING COLOUR	WHITE RAL 9003
MATERIAL OF THE COVER	TRANSPARENTE PLASTIC
IMPACT RESISTANCE	IK06
HEIGHT/DEPTH (MM) :	33mm
LENGTH (MM) :	271mm
WIDTH (MM) :	123mm
MOUNTING WIDTH	271mm
PRODUCT WEIGHT (G) :	500GR
NUMBER OF PRODUCTS PER BOX	3
INCANDESCENT WIRE 850°C	OUI
CONFORMS TO DIRECTIONS: 89/336/EEC, 73/23/EEC, 98/68/EEC	YES
BATTERY STATUS	LI-FEPO4
INCLUDED PICTOGRAMS	OUI
VOLTAGE TYPE	AC
NONIMAL LIFETIME L70/B50 (H) :	50.000H (L70B50)
RATED AMBIENT TEMPERATURE TO IEC 62722-2-1	0°C / +40 °C
GUARANTEE	5 YEARS
TYPE OF PACKAGING	CARTON BOX
NUMBER OF UNITS IN PACKAGING	1
INSTALLATION SUR SURFACES NORMALEMENT INFLAMMABLES	YES
BEBAT CODE	B110020446
RECUPEL CODE	-
BATTERY WEIGHT (G) :	41
EAN	8021046121742
INTRASTAT CODE	85365000
COMPLIANT WITH EUROPEAN STANDARDS	EN 1838 EN 60598-1 EN 60598-2-22 RoHS2 2011/65/UE
FUNCTION	Evacuation lighting

INSTALLATION METHOD	Built-in Chain Flag mounting Hanging Surface mounted recessed Surface mounting (ceiling) Surface mounting (wall) Surface mounting (wall/ceiling)
LIGHT DISTRIBUTION ELEMENT	Reflector
MODE	Security Wireless/Spy system wireless
NOMINAL OPERATING TIME	1h 3h
PROTECTION CLASS	II
TYPE OF SWITCHING	Permanent

Accessories

L91041-22 - PICTO ASTRA DOWN 22M



L92019-B-AS - ASTRA RECESSED KIT WHITE



L92019-G-AS - ASTRA RECESSED KIT GREY



L92020-AS - SUSPENSION KIT ASTRA



LA081 - ASTRA SUPPORT FOR WALL, CEILING AND FLAG FIXATION



L99020-22-AS - ASTRA SET OF 5 PICTOGRAMS 22m



L99025 - LEXIT/ASTRA PROTECTION GRID



L99150 - COMMANDER



LA252 - ASTRA CONNEXION KIT (CABLE/CONNECTOR) STANDARD TYPE



LA330 - ASTRA CONNEXION KIT (CABLE/CONNECTOR)

