LINERGY
EMERGENCY LIGHTING


LEXIT
LX1201

IP65 IK06 3 pcs


LEXIT 3W 32m 1h P



CODE	LX1201
POWER (W)	3W
AUTONOMY (U)	1h
TYPE	Permanent
RESCUE (LM)	
PERMANENT (LM)	
BATTERY	NI-CD



A=309mm B=283mm C=41mm
D=99mm E=185mm F=290mm G=8mm



Features

PRODUCT NAME	LEXIT
PRODUCT FUNCTION	LUMINAIRES DE SIGNALISATION LED HERMÉTIQUES
SYSTEM POWER (W) :	3W
SIGHT DISTANCE (M) :	32M
SURVEILLANCE SYSTEM INSTALLATION	SANS
WITH CONNECTION TO A IMPULSE RELAY	YES
POWER SUPPLY (V) :	220-230V
BATTERY RECHARGE TIME (H) :	12H

LEXIT
LX1201

LIGHT SOURCE	LED
WITH LIGHT SOURCE	YES
PROTECTION CLASS	IP65
HOUSING MATERIAL	POLYCARBONATE
HOUSING COLOUR	WHITE RAL 9003
MATERIAL OF THE COVER	TRANSPARENTE PLASTIC
IMPACT RESISTANCE	IK06
HEIGHT/DEPTH (MM) :	41mm
LENGTH (MM) :	309mm
WIDTH (MM) :	289mm
MOUNTING WIDTH	309mm
PRODUCT WEIGHT (G) :	1300GR
NUMBER OF PRODUCTS PER BOX	3
INCANDESCENT WIRE 850°C	OUI
CONFORMS TO DIRECTIONS: 89/336/EEC, 73/23/EEC, 98/68/EEC	YES
BATTERY STATUS	NI-CD
INCLUDED PICTOGRAMS	OUI
VOLTAGE TYPE	AC
NONIMAL LIFETIME L70/B50 (H) :	50.000H (L70B50)
RATED AMBIENT TEMPERATURE TO IEC 62722-2-1	0°C / +40 °C
GUARANTEE	5 YEARS
TYPE OF PACKAGING	CARTON BOX
NUMBER OF UNITS IN PACKAGING	1
INSTALLATION SUR SURFACES NORMALEMENT INFLAMMABLES	YES
BEBAT CODE	B207035090
RECUPEL CODE	5.56
BATTERY WEIGHT (G) :	41
EAN	8021046120141
EAN PACK	8021046340143
COMPLIANT WITH EUROPEAN STANDARDS	EN 1838 EN 60598-1 EN 60598-2-22 RoHS2 2011/65/UE
FUNCTION	Evacuation lighting

INSTALLATION METHOD	Chain Flag mounting Hanging Surface mounting (ceiling) Surface mounting (wall) Surface mounting (wall/ceiling)
MODE	Security Standard
NOMINAL OPERATING TIME	1h
PROTECTION CLASS	II
TYPE OF SWITCHING	Permanent

Accessories

L91041-LX - PICTO LEXIT DOWN 32M



L92016 - LYRA WALL FLAG MOUNTING



L92017 - LYRA/LEXIT CEILING FIXATION



L92019-B-LX - LEXIT WHITE RECESSED KIT



L92019-G-LX - LEXIT GREY RECESSED KIT



L92020-LX - LEXIT SUSPENSION KIT



L99025 - LEXIT/ASTRA PROTECTION GRID



L99150 - COMMANDER



LA032 - LEXIT WALL FIXATION / BOX 503

