LINERGY
EMERGENCY LIGHTING


# LEXIT
# LX1202

IP65 IK06 3 pcs


## LEXIT 1,7W 32m 3h P



| | |
|---|---|
| **CODE** | LX1202 |
| **POWER (W)** | 1,7W |
| **AUTONOMY (U)** | 3h |
| **TYPE** | Permanent |
| **RESCUE (LM)** | |
| **PERMANENT (LM)** | |
| **BATTERY** | NI-CD |




A=309mm B=283mm C=41mm
D=99mm E=185mm F=290mm G=8mm




## Features

| | |
|---|---|
| PRODUCT NAME | LEXIT |
| PRODUCT FUNCTION | LUMINAIRES DE SIGNALISATION LED HERMÉTIQUES |
| SYSTEM POWER (W) : | 1,7W |
| SIGHT DISTANCE (M) : | 32M |
| SURVEILLANCE SYSTEM INSTALLATION | SANS |
| WITH CONNECTION TO A IMPULSE RELAY | YES |
| POWER SUPPLY (V) : | 220-230V |
| BATTERY RECHARGE TIME (H) : | 12H |

| | |
|---|---|
| LIGHT SOURCE | LED |
| WITH LIGHT SOURCE | YES |
| PROTECTION CLASS | IP65 |
| HOUSING MATERIAL | POLYCARBONATE |
| HOUSING COLOUR | WHITE RAL 9003 |
| MATERIAL OF THE COVER | TRANSPARENTE PLASTIC |
| IMPACT RESISTANCE | IK06 |
| HEIGHT/DEPTH (MM) : | 41mm |
| LENGTH (MM) : | 309mm |
| WIDTH (MM) : | 289mm |
| MOUNTING WIDTH | 309mm |
| PRODUCT WEIGHT (G) : | 1300GR |
| NUMBER OF PRODUCTS PER BOX | 3 |
| INCANDESCENT WIRE 850°C | OUI |
| CONFORMS TO DIRECTIONS: 89/336/EEC, 73/23/EEC, 98/68/EEC | YES |
| BATTERY STATUS | NI-CD |
| INCLUDED PICTOGRAMS | OUI |
| VOLTAGE TYPE | AC |
| NONIMAL LIFETIME L70/B50 (H) : | 50.000H (L70B50) |
| RATED AMBIENT TEMPERATURE TO IEC 62722-2-1 | 0°C / +40 °C |
| GUARANTEE | 5 YEARS |
| TYPE OF PACKAGING | CARTON BOX |
| NUMBER OF UNITS IN PACKAGING | 1 |
| INSTALLATION SUR SURFACES NORMALEMENT INFLAMMABLES | YES |
| BEBAT CODE | B207035090 |
| RECUPEL CODE | 5.56 |
| BATTERY WEIGHT (G) : | 41 |
| EAN | 8021046120165 |
| COMPLIANT WITH EUROPEAN STANDARDS | EN 1838<br>EN 60598-1<br>EN 60598-2-22<br>RoHS2 2011/65/UE |
| FUNCTION | Evacuation lighting |
| INSTALLATION METHOD | Chain<br>Flag mounting<br>Hanging<br>Surface mounting (ceiling)<br>Surface mounting (wall)<br>Surface mounting (wall/ceiling) |

| | |
|---|---|
| MODE | Security<br>Standard |
| NOMINAL OPERATING TIME | 3h |
| PROTECTION CLASS | II |
| TYPE OF SWITCHING | Permanent |

## Accessories

**L91041-LX** - PICTO LEXIT DOWN 32M 

**L92016** - LYRA WALL FLAG MOUNTING 

**L92017** - LYRA/LEXIT CEILING FIXATION 

**L92019-B-LX** - LEXIT WHITE RECESSED KIT 

**L92019-G-LX** - LEXIT GREY RECESSED KIT 

**L92020-LX** - LEXIT SUSPENSION KIT 

**L99025** - LEXIT/ASTRA PROTECTION GRID 

**L99150** - COMMANDER 

**LA032** - LEXIT WALL FIXATION / BOX 503 