LINERGY
EMERGENCY LIGHTING


# SWING
# L9702-IN

IP30 IK06 6 pcs


## SWING IN 2,4W 30m 1h M/NM AUT



| | |
|---|---|
| **CODE** | L9702-IN |
| **POWER (W)** | 2,4W |
| **AUTONOMY (U)** | 1h |
| **TYPE** | Permanent |
| **RESCUE (LM)** | |
| **PERMANENT (LM)** | |
| **BATTERY** | NI-CD |




A=450mm B=50mm C=1mm
D=300mm E=15mm
F=188mm G=225mm




## Features

| | |
|---|---|
| PRODUCT NAME | SWING |
| PRODUCT FUNCTION | LUMINAIRES DE SIGNALISATION LED NON HERMETIQUES |
| SYSTEM POWER (W) : | 2,4W |
| SIGHT DISTANCE (M) : | 30M |
| WITH CONNECTION TO A IMPULSE RELAY | YES |
| POWER SUPPLY (V) : | 220-230V |
| BATTERY | LiFePO4 |
| BATTERY RECHARGE TIME (H) : | 12H |

LINERGY
EMERGENCY LIGHTING

# SWING
# L9702-IN

| | |
|---|---|
| LIGHT SOURCE | LED |
| WITH LIGHT SOURCE | YES |
| PROTECTION CLASS | IP30 |
| HOUSING MATERIAL | ALUMINIUM |
| HOUSING COLOUR | GREY RAL 9007 |
| MATERIAL OF THE COVER | TRANSPARENTE PLASTIC |
| IMPACT RESISTANCE | IK06 |
| HEIGHT/DEPTH (MM) : | 225mm |
| LENGTH (MM) : | 305mm |
| WIDTH (MM) : | 35mm |
| PRODUCT WEIGHT (G) : | 3300GR |
| NUMBER OF PRODUCTS PER BOX | 6 |
| INCANDESCENT WIRE 850°C | OUI |
| CONFORMS TO DIRECTIONS: 89/336/EEC, 73/23/EEC, 98/68/EEC | YES |
| BATTERY STATUS | NI-CD |
| INCLUDED PICTOGRAMS | OUI |
| VOLTAGE TYPE | AC |
| NONIMAL LIFETIME L70/B50 (H) : | 50.000H (L70B50) |
| RATED AMBIENT TEMPERATURE TO IEC 62722-2-1 | 0°C / +40 °C |
| GUARANTEE | 5 YEARS |
| NUMBER OF UNITS IN PACKAGING | 1 |
| INSTALLATION SUR SURFACES NORMALEMENT INFLAMMABLES | YES |
| BEBAT CODE | B110020446 |
| RECUPEL CODE | 5.56 |
| BATTERY WEIGHT (G) : | 41 |
| EAN | 8021046119442 |
| EAN PACK | 8021046337013 |
| INTRASTAT CODE | 85365000 |
| COMPLIANT WITH EUROPEAN STANDARDS | EN 1838<br>EN 60598-1<br>EN 60598-2-22<br>EN 62034<br>RoHS2 2011/65/UE |
| FUNCTION | Evacuation lighting |
| INSTALLATION METHOD | Built-in<br>Hanging |
| MODE | Autotest<br>Security |
| NOMINAL OPERATING TIME | 1h |

| | |
|---|---|
| TYPE OF SWITCHING | Permanent |

## Accessories

**L91041-30** - PICTO ASTRA DOWN 30M



**L99150** - COMMANDER

